



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

2217-1016

Date of Issuance:

4/12/16

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

EI-801 Insecticide

Name and Address of Registrant (include ZIP Code):

Eric D. Smith
 PBI/Gordon Corporation
 1217 West 12th Street
 Kansas City, Missouri 64101

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Michael Walsh, Product Manager 11
 Invertebrate and Vertebrate Branch #2 Registration Division
 (7505P)

Date:

4/12/16

2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Spinosad GDCI-110003-1217
 - b. Spinosad GDCI-110003-1143

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 2217-1016.”
5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated January 26, 2016
- Alternate CSF 1 dated January 26, 2016

If you have any questions, please contact Carlyn Petrella by phone at 703-347-0439, or via email at petrella.carlyn@epa.gov.

Enclosure

EI-801 INSECTICIDE

EPA Reg. No. 2217-XXXX

For the Control of House Flies Outdoors Around Houses, Garbage Cans, Dumpsters and Other Garbage Collection Points, Outdoor Latrines, Pet Kennels, Compost Areas, and Non-Commercial animal housing including poultry houses, barns, and stables.


ACTIVE INGREDIENT:

Spinosad (a mixture of spinosyn A and spinosyn D)	0.50%
(Z)-9-tricosene (Pheromone)	0.05%
OTHER INGREDIENTS:	<u>99.45%</u>
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.



See [attached booklet][back panel][side panel] for complete Precautionary Statements and Directions for Use, including First Aid and Storage and Disposal.

Net Contents: _____
EPA Est. No. _____

Company Name and Address:
PBI/Gordon Corporation
1217 West 12th Street
Kansas City, Missouri 64101



PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: May be harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Physical and Chemical Hazard

Do not mix or allow to come into contact with oxidizing agent. Hazardous chemical reaction may occur.

First Aid	
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or on clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.	

Environmental Hazards

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using.

1. Product Information [Where To Use]

EI-801 INSECTICIDE is intended for control of houseflies outdoors around houses, garbage cans, dumpsters and other garbage collection points, outdoor latrines, pet kennels, compost areas, and non-commercial animal housing including poultry houses, barns, and stables.

EI-801 INSECTICIDE can also be used indoors in non-residential and non-commercial areas, but only in areas where children, animals or pets cannot come in contact with or ingest the granules. See specific use instructions and precautions below. This product's active ingredient, spinosad, is biologically derived from the fermentation of *Saccharopolyspora spinosa*, a naturally occurring soil organism.

2. Use Precautions

- EI-801 INSECTICIDE contains a bittering agent. It also contains a fluorescent pigment that makes the bait more attractive to flies. Waterproof gloves are recommended when handling EI-801 INSECTICIDE to avoid staining of skin or clothing.
- Keep in original container and store out of direct sunlight in a cool and dry location away from children, pets and livestock animals. To preserve effectiveness, reseal container immediately after measuring and using the product.
- Do not allow EI-801 INSECTICIDE to contact food, feedstuffs, and water. Protect exposed food, feedstuffs, and water, where necessary, to avoid contamination.
- Do not allow pets to feed on garbage treated with EI-801 INSECTICIDE.

- Apply EI-801 INSECTICIDE only in locations inaccessible to children, livestock animals and pets where bait granules cannot be picked up or where animals and pets cannot lick surfaces on which the bait has been placed.

3. Application [How To Use]

One or a combination of the following bait application methods may be used:

Scatter Bait: Scatter EI-801 INSECTICIDE evenly in areas where flies are observed to be resting or feeding. Scatter uniformly at the rate of 1 oz per 125 sq.ft. of area. Do not put into piles. Do not use the scatter bait application method inside the house, or in areas where children, animals, or pets could come in contact with the granules. Re-apply when bait is no longer effective in controlling flies.

Bait Stations: Use in any commercially available bait station secured at least 4 feet above the ground and inaccessible to children, pets, and livestock animals. Add 1 oz of product to each of 4 bait stations and space the 4 stations as equally as possible within a 500 sq.ft. treatment area. Add product to replace amount consumed before the station is empty. Do not exceed 1 oz of product per station at any time. Reapply on a daily basis to maintain control when the fly population is large enough to consume 4 oz of product within a 500 square feet area in 1 day. However, when fly populations decrease, consumption of the bait also decreases, so reapply every 2 to 3 days to maintain adequate fly control. Replace bait station if physically damaged.

[4. Prepackaged Bait Stations [Station Bait] [Station Delivery Device]

[Note to Reviewer: An alternate package configuration is a prepackaged bait station. The bait station devices will be designed to deliver approximately 1 oz of bait per 125 sq.ft. of open house floor space or other use site through use of one or multiple station devices.]

Place a minimum of 1 [station delivery device] per XXX sq.ft. of open floor space of poultry house, barns, or stable in areas where flies are observed to be resting or feeding. Additional stations [delivery devices] may be used in large rooms or areas separated by hallways, doors, or screens.]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container, tightly closed in a secure place. Keep out of the reach of children and domestic animals.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-992-5994 for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY

STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

1. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

- Ready to use
- Use straight from the bag [bottle] [container]
- Contains spinosad
- Flexible application methods
- Broadcast application
- Bait station [device] application
- Hang-board [device] application
- Hang-card [device] application
- Contains the fly attracting pheromone, Z-9 tricosene
- With pheromone attractant, special fly bait and fly killer
- Spinosad is biologically derived from the fermentation of saccharopolyspora spinosa, a naturally occurring soil organism
- Bait formula with Z-9 tricosene
- Kills both sexes of flies
- Contains adult fly sex attractant
- Attracts and kills house flies
- Flies feed and die
- Attracts and kills resistant house flies
- 1 ounce treats 125 sq.ft.
- X device(s) treats X sq.ft.
- With a pheromone fly attractant
- Flies feed on the bait and die
- Flies ingest a lethal dose of bait and die
- Contains Bitrex(TM) [bittering agent]

[Back Panel]

Getting Started

Where To Use: Intended for control of house flies outdoors around houses, garbage cans, and non-commercial animal housing [premises] including poultry houses, barns, and stables.

How Much To Use:

Scatter Bait: Scatter evenly in areas where flies are observed to be resting or feeding. Scatter uniformly at the rate of 1 oz. per 125 sq.ft. of area.

Bait Station: Use in any commercial bait station secured at least 4 feet above the ground and inaccessible to children, pets or livestock animals.

Telephone Icon

Computer Icon

For questions or comments call toll-free 1-800-821-7925 Mon. – Fri. 8:00 a.m. – 4:30 p.m. CST or visit our website at www.pbigordon.com [www.GordonsUSA.com]

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-0XXXX.20160408.new-proposed-EI801-clean

2. Reason for Issue: EPA Comments #4